Cutting machines THE 56



Made in Germany



0

0

5

IDEAL

Cut from the future

Well-designed digital functions, intuitive controls, and easy to use: THE 56 makes guillotine work easier and more satisfying than ever – even on demanding projects. Enjoy optimised workflows and flawless precision.



THE 56 Beautifully simple

15.6" diagonal size touchscreen – use it just like a tablet Easy on the hands, comfortable on the eyes: The 15.6" multi-touch display has a continuously adjustable tilt and adapts perfectly to light conditions and the ergonomic needs of the user.

The smart user interface ensures any new user instantly feels at home. The display focuses the eye on the essentials – with intuitive touch and right when you need it – no more, no less.

HE MAGAN - De

A File manager

Folder system with freely assignable tasks, selection of projects via USB, meaningful project names, and a time-saving search function

B Program mode

Single step display with active/inactive settings, cutting steps are separately editable, freely editable text field for customer-specific information

C Adjustable defaults

Operator-specific default clamping pressure and backgauge speed, automatic loading at switch-on

Interactive assistance

Assistance swapping blades via animated videos, integrated help/FAQ in program, updates via download to the USB stick

09-00			IDE///L
	D B O B / O	Q Suche	
200			
26			
	IDEAL Health	Faitblatt, DIN A4, Einbruchfalz - IDEAL	
П			
Ô		B Grußkarte, DIN A6, Falz Längsseite - IDEAL	*
19		Briefpapier, DIN A4 ~ IDEAL	









THE 56 Well-designed

PROGRAMM-MODUS

Magazin Rückenstich - IDEAL

5.00

12.00

297.00

IDE//L

START

С

0

......

3

* * Ø

12.00

8

5

2

0

IDE/IL

벨

The best equipment for the best results.

F7

Ś

?

Precise cutting edges for every cut and every type of paper: standard when working with THE 56. Of course, there is sophisticated technology behind this, but we have gone even further. The clever construction with the cleverly placed controls also ensures pleasantly smooth workflows – so you effortlessly achieve the best cutting results.



A 15.6" multi-touch display

Functional graphical user interface for intuitive tablet-like work and clear main screen with intelligently split display. The tilt adjustable display can be ergonomically adapted to body height and lighting conditions.

B PRECISION DRIVE

The manual fine adjustment of the backgauge ensures maximum precision – user-friendly via the ergonomic control element at the front of the machine.

C EASY-TOUCH cut activating

Safe true two-hand operation: A cut can be executed conveniently and safely by means of the EASY-TOUCH blade activating buttons with integrated optical signals indicating the operational status.



D Mechanical foot clamp Ergonomic foot pedal for independent

mechanical pre-clamping or as a mechanical cutting line indicator.



THE 56 Powerful performance

Redefining efficient guillotining.

Precision

Whether you're a newbie or an old hand, guillotine work has never been easier.

Clean edges with every cut

precision-bearing blade guide

electronically monitored false clamp plate

manual fine adjustment of the backgauge

Safety

Everything fits together perfectly – for flawless results and maximum safety.

Safety Cutting System (SCS)

IR light beam safety curtain two-handed blade activation IDEAL safety drive safe exchanging of blades blade depth adjustment from the outside restricted access via password protection

THE 56 is so smart that you're no longer forced to choose between precision and productivity.







This hydraulic paper clamp system with adjustable and programmable clamping pressure alongside independent mechanical foot clamping is a patented-pending IDEAL in-house technology.

Ergonomically sound for every user

adjustable table height integrated function for exchanging cutting sticks

operator guidance via colour signals

THE 56 Quality in every detail

Do you want to work even more comfortably? Stand cladding panels and side tables for THE 56 offer interesting expansion options.



Next-generation programmable powered guillotine – for increased efficiency and productivity by working smarter. With IR light beam safety curtain and hydraulic clamp drive.

	THE 56
Cutting length (mm)	560
Cutting height (mm)	80 / 77*
Narrow cut (mm)	<15 / 60*
Table depth (mm)	560
Power (V/Hz/~)	230/50/1
Fuse protection (A)	16
Dimensions H x W x D (mm)	1523 x 979 x 1211
Dimensions W (mm) with side tables**	1779
Dimensions H (mm) without touch screen	1334
Table height (mm)	adjustable from 950–1000
Weight (kg)	approx. 303
Weight (kg) with cladding panels**	approx. 315
Weight (kg) with side tables**	approx. 316

Operation and programme control via 15.6" touchscreen display. Intuitive software with comprehensive features and operation via touch and swipe gestures – just like a tablet or smartphone.

Dianlass	()		
Display	(pixets)		
Operatio	on		
Connect	ions		
Clampir	ig pressur	e	
Clamp p	ressure, i	min (daN)	
Clamp p	ressure, i	max. (daN)	
Backgau	uge speed	(cm/sec.)	

* with false clamp installed ** optional accessories



THE 56
1366 x 768
multi-touch
LAN, USB
programmable
approx. 250
арргох. 1000
up to approx. 10



Made in Germany



ideal.de